



TP SEALER-5G-RG TP TIMBER SEAL M18-4435

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 10/11/2018

Revision date: 03/25/2019

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : TP SEALER-5G-RG TP TIMBER SEAL M18-4435
Product code : TP SEALER-5G-RG
Product group : Finished good

1.2. Recommended use and restrictions on use

Recommended use : Water-based paint, Coating, Wood paint/coating

1.3. Supplier

Dominion Colour Corporation
2615 Wharton Glen Avenue
L4X 2B1 Mississauga - Canada
T 1-905-270-0311

1.4. Emergency telephone number

Emergency number : 1-613-996-6666 (CANUTEC) 24 hours, 7 days a week

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA/US)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-CA/US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing to the classification : Not known.

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : The components are not hazardous or are below required disclosure limits.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

TP SEALER-5G-RG TP TIMBER SEAL M18-4435

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard : No fire hazard.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 1 - 49 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : clear

Odor : characteristic

Odor threshold : No data available

pH : No data available

TP SEALER-5G-RG TP TIMBER SEAL M18-4435

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 240 °C No experimental study on the product is available. The information given is based on our knowledge of the components.
Flash point	: 98 °C No experimental study on the product is available. The information given is based on our knowledge of the components.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not combustible Not applicable
Vapor pressure	: No data available
Vapor pressure at 50 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.01 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

TP SEALER-5G-RG TP TIMBER SEAL M18-4435

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. Basic shipping description

Not classified as a dangerous good under transport regulations

Transportation of Dangerous Goods

Not classified as a dangerous good under transport regulations

14.2. Transport information/DOT

Department of Transport

Not classified as a dangerous good under transport regulations

14.3. Air and sea transport

IMDG

Not classified as a dangerous good under transport regulations

IATA

Not classified as a dangerous good under transport regulations

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

15.2. International regulations

No additional information available


SECTION 16: Other information

Date of issue : 10/11/2018

Revision date : 03/25/2019

DCC MONTEITH SDS GHS CAN NON HAZ TRANSPORT

The information and data contained herein is believed to be accurate at the time of preparation and has been obtained from sources believed to be generally reliable. No warranty or liability for the accuracy is made and no liability will be assumed for claims arising from any party's use of or reliance on information contained herein.



TIMBERPRO COATINGS TIMBER SEAL

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 10/11/2018

Revision date: 02/12/2020

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : TIMBER SEAL M18-4435 :
Product code : TP SEALER-5G-RG — TP SEALER-1G-RG
Product group : Finished good

1.2. Recommended use and restrictions on use

Recommended use : Water-based paint, Coating, Wood paint/coating

1.3. Supplier

140-12051 Horseshoe Way
Richmond, BC Canada V7A 4V4
604.270.4244
timberprocoatings.com

1.4. Emergency telephone number

Emergency number : 604.270.4244

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA/US)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-CA/US labeling

No labeling applicable

2.3. Other hazards

Other hazards not contributing to the classification : Not known.

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : The components are not hazardous or are below required disclosure limits.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

TIMBERPRO COATINGS TIMBER SEAL

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard : No fire hazard.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 1 - 49 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : clear

Odor : characteristic

Odor threshold : No data available

pH : No data available

TIMBERPRO COATINGS TIMBER SEAL

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 240 °C No experimental study on the product is available. The information given is based on our knowledge of the components.
Flash point	: 98 °C No experimental study on the product is available. The information given is based on our knowledge of the components.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not combustible Not applicable
Vapor pressure	: No data available
Vapor pressure at 50 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.01 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

TIMBERPRO COATINGS TIMBER SEAL

Safety Data Sheet

according to the Hazardous Products Regulation (2015) and 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. Basic shipping description

Not classified as a dangerous good under transport regulations

Transportation of Dangerous Goods

Not classified as a dangerous good under transport regulations

14.2. Transport information/DOT

Department of Transport

Not classified as a dangerous good under transport regulations

14.3. Air and sea transport

IMDG

Not classified as a dangerous good under transport regulations

IATA

Not classified as a dangerous good under transport regulations

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

15.2. International regulations

No additional information available

SECTION 16: Other information

Date of issue : 10/11/2018

Revision date : 02/12/2020

The information and data contained herein is believed to be accurate at the time of preparation and has been obtained from sources believed to be generally reliable. No warranty or liability for the accuracy is made and no liability will be assumed for claims arising from any party's use of or reliance on information contained herein.

PROCHAINEMENT